

THREE POINTS INSIDE MICROMETER

- Graduation: metric 0.001mm
inch 0.0001"
- Ratchet stop, carbide tips
- With standard ring
- Packed in aluminum box

Code	Range	Code	Range	Measuring depth
3227-2	2-2.5mm	3227-E01	0.08-0.1"	12.5mm/0.5"
3227-3	2.5-3mm	3227-E012	0.1-0.12"	12.5mm/0.5"
3227-4	3-4mm	3227-E016	0.12-0.16"	22.5mm/0.9"
3227-5	4-5mm	3227-E02	0.16-0.2"	22.5mm/0.9"
3227-6	5-6mm	3227-E024	0.2-0.24"	22.5mm/0.9"
		3227-E028	0.24-0.28"	0.9"
Code	Range	Code	Range	
3227-232	2-3mm (2pcs)	3227-E822	0.08-0.12" (2pcs)	
3227-363	3-6mm (3pcs)	3227-E284	0.12-0.28" (4pcs)	



THREE POINTS INSIDE MICROMETER

- Graduation: metric 0.001mm
inch 0.0001"
- Measuring depth 53.5mm/ 2.11", with extension rod 100mm/ 4"
- Ratchet stop, carbide tips
- With standard ring
- Packed in aluminum box

Code	Range
3227-8	6-8mm
3227-10	8-10mm
3227-12	10-12mm
Code	Range
3227-123	6-12mm (3pcs)
Code	Range
3227-E035	0.275-0.35"
3227-E043	0.35-0.425"
3227-E05	0.425-0.5"
Code	Range
3227-E053	0.275-0.5" (3pcs)



THREE POINTS INSIDE MICROMETER

- Graduation: metric 0.005mm
inch 0.0002"
- With extension rod 150mm/6"
- Ratchet stop, carbide tips
- With standard ring
- Packed in aluminum box

Code	Range	Code	Range	Measuring depth
3227-16	12-16mm	3227-E065	0.5-0.65"	80mm/ 3.2"
3227-20	16-20mm	3227-E08	0.65-0.8"	80mm/ 3.2"
3227-25	20-25mm	3227-E1	0.8-1"	90mm/ 3.6"
3227-30	25-30mm	3227-E112	1-1.2"	90mm/ 3.6"
3227-40	30-40mm	3227-E16	1.2-1.6"	97mm/ 3.88"
3227-50	40-50mm	3227-E2	1.6-2"	97mm/ 3.88"
3227-63	50-63mm	3227-E25	2-2.5"	114mm/ 4.56"
3227-75	62-75mm	3227-E3	2.5-3"	114mm/ 4.56"
3227-88	75-88mm	3227-E35	3-3.5"	114mm/ 4.56"
3227-100	87-100mm	3227-E4	3.5-4"	114mm/ 4.56"
Code	Range	Code	Range	
3227-202	12-20mm (2pcs)	3227-E082	0.5-0.8" (2pcs)	
3227-504	20-50mm (4pcs)	3227-E24	0.8-2" (4pcs)	
3227-1004	50-100mm (4pcs)	3227-E44	2-4" (4pcs)	



THREE POINTS INSIDE MICROMETER

- Graduation: metric 0.005mm
inch 0.0002"
- Measuring depth 150mm/6", with extension rod 150mm/6"
- Measuring heads are interchangeable
- Ratchet stop, carbide tips
- Standard ring is optional
- Packed in aluminum box

Code	Range	Code	Range
3227-125	100-125mm	3227-E5	4-5"
3227-150	125-150mm	3227-E6	5-6"
3227-175	150-175mm	3227-E7	6-7"
3227-200	175-200mm	3227-E8	7-8"
3227-225	200-225mm	3227-E9	8-9"
3227-250	225-250mm	3227-E10	9-10"
3227-275	250-275mm	3227-E11	10-11"
3227-300	275-300mm	3227-E12	11-12"



ELECTRONIC THREE POINTS INSIDE MICROMETER

- Resolution:0.001mm/0.00005"
- Buttons: on/off, data set, mm/inch, ABS/INC
- IP54 protection
- SR44 battery, with one spare battery, auto power off
- Ratchet stop, carbide tips
- RS232 output
- With standard ring
- Packed in aluminum box

Code	Range	Code	Range	Measuring depth
3127-2	2-2.5mm	3127-E01	0.08-0.1"	12.5mm/0.5"
3127-3	2.5-3mm	3127-E012	0.1-0.12"	12.5mm/0.5"
3127-4	3-4mm	3127-E016	0.12-0.16"	22.5mm/0.9"
3127-5	4-5mm	3127-E02	0.16-0.2"	22.5mm/0.9"
3127-6	5-6mm	3127-E024	0.2-0.24"	22.5mm/0.9"
		3127-E028	0.24-0.28"	0.9"
Code	Range	Code	Range	
3127-232	2-3mm (2pcs)	3127-E822	0.08-0.12" (2pcs)	
3127-363	3-6mm (3pcs)	3127-E284	0.12-0.28" (4pcs)	



ELECTRONIC THREE POINTS INSIDE MICROMETER

- Resolution:0.001mm/0.00005"
- Measuring depth 53.5mm/ 2.11", with extension rod 100mm/ 4"
- Buttons: on/off, data set, mm/inch, ABS/INC
- IP54 protection
- SR44 battery, with one spare battery, auto power off
- Ratchet stop, carbide tips
- RS232 output
- With standard ring
- Packed in aluminum box

Code	Range
3127-8	6-8mm
3127-10	8-10mm
3127-12	10-12mm
Code	Range
3127-123	6-12mm (3pcs)
Code	Range
3127-E035	0.275-0.35"
3127-E043	0.35-0.425"
3127-E05	0.425-0.5"
Code	Range
3127-E053	0.275-0.5" (3pcs)



ELECTRONIC THREE POINTS INSIDE MICROMETER

- Resolution:0.001mm/0.00005"
- With extension rod 150mm/ 6"
- Buttons: on/off, data set, mm/inch, ABS/INC
- IP54 protection
- SR44 battery, with one spare battery, auto power off
- RS232 output
- Ratchet stop, carbide tips
- With standard ring
- Packed in aluminum box

Code	Range	Measuring depth(mm)
3127-16	12-16mm	80
3127-20	16-20mm	80
3127-25	20-25mm	90
3127-30	25-30mm	90
3127-40	30-40mm	97
3127-50	40-50mm	97
3127-63	50-63mm	114
3127-75	62-75mm	114
3127-88	75-88mm	114
3127-100	87-100mm	114
Code	Range	Measuring depth(inch)
3127-E065	0.5-0.65"	3.2"
3127-E08	0.65-0.8"	3.2"
3127-E1	0.8-1"	3.6"
3127-E112	1-1.2"	3.6"
3127-E16	1.2-1.6"	3.88"
3127-E2	1.6-2"	3.88"
3127-E25	2-2.5"	4.56"
3127-E3	2.5-3"	4.56"
3127-E35	3-3.5"	4.56"
3127-E4	3.5-4"	4.56"



Code	Range
3127-202	12-20mm (2pcs)
3127-504	20-50mm (4pcs)
3127-1004	50-100mm (4pcs)
Code	Range
3127-E082	0.5-0.8" (2pcs)
3127-E24	0.8-2" (4pcs)
3127-E44	2-4" (4pcs)

ELECTRONIC THREE POINTS INSIDE MICROMETER

- Resolution: 0.001mm / 0.00005"
- Measuring depth 150mm/ 6", with extension rod 150mm/6"
- Measuring heads are interchangeable
- Buttons: on/off, data set, mm/inch, ABS/INC
- IP54 protection
- SR44 battery, with one spare battery, auto power off
- RS232 output
- Ratchet stop, carbide tips
- Standard ring is optional
- Packed in aluminum box

Code	Range	Code	Range
3127-125	100-125mm	3127-E5	4-5"
3127-150	125-150mm	3127-E6	5-6"
3127-175	150-175mm	3127-E7	6-7"
3127-200	175-200mm	3127-E8	7-8"
3127-225	200-225mm	3127-E9	8-9"
3127-250	225-250mm	3127-E10	9-10"
3127-275	250-275mm	3127-E11	10-11"
3127-300	275-300mm	3127-E12	11-12"



ELECTRONIC THREE POINTS INSIDE MICROMETER WITH INTERCHANGEABLE ANVILS

- Resolution: 0.001mm / 0.00005"
- Buttons: on/off, data set, mm/inch, ABS/INC
- IP54 protection
- SR44 battery, with one spare battery, auto power off
- RS232 output
- Ratchet stop, carbide tips
- Standard ring is optional
- Packed in wooden box

Code	Range	Extension rods
3621-500	200-500mm	150mm, 500mm
3621-1000	200-1000mm	150mm, 500mm, 1000mm
Code	Range	Extension rods
3621-20	8-20"	6", 20"
3621-40	8-40"	6", 20", 40"



WIDE RANGE THREE POINTS INSIDE MICROMETER

- Graduation: metric 0.001mm
inch 0.0001"
- Measuring depth 230mm/9.2"
- Ratchet stop, carbide tips
- With standard ring except 200-300mm/8-12"
- Packed in aluminum box

Code	Range	Code	Range
3228-70	50-70mm	3228-E28	2-2.8"
3228-100	70-100mm	3228-E4	2.8-4"
3228-150	100-150mm	3228-E6	4-6"
3228-250	150-250mm	3228-E10	6-10"
3228-300	200-300mm	3228-E12	8-12"
Code	Range	Code	Range
3228-S100	50-100mm (2pcs)	3228-SE42	2-4" (2pcs)
3228-S250	100-250mm (2pcs)	3228-SE10	4-10" (2pcs)



ELECTRONIC WIDE RANGE THREE POINTS INSIDE MICROMETER

- Resolution: 0.001mm/0.00005"
- Measuring depth 107mm/4.28", with extension rod 150mm/6"
- Buttons: on/off, data set, mm/inch, ABS/INC
- IP54 protection
- SR44 battery, with one spare battery, auto power off
- RS232 output
- Ratchet stop, carbide tips
- With standard ring except 200-300mm/8-12"
- Packed in aluminum box

Code	Range	Code	Range
3128-70	50-70mm	3128-E28	2-2.8"
3128-100	70-100mm	3128-E4	2.8-4"
3128-150	100-150mm	3128-E6	4-6"
3128-250	150-250mm	3128-E10	6-10"
3128-300	200-300mm	3128-E12	8-12"
Code	Range	Code	Range
3128-S100	50-100mm (2pcs)	3128-SE42	2-4" (2pcs)
3128-S250	100-250mm (2pcs)	3128-SE10	4-10" (2pcs)

